


PATENT
5253-04200

"EXPRESS MAIL" MAILING LABEL
NUMBER EL893746681US
DATE OF DEPOSIT: NOVEMBER 21, 2001
I HEREBY CERTIFY THAT THIS PAPER OR
FEE IS BEING DEPOSITED WITH THE
UNITED STATES POSTAL SERVICE
"EXPRESS MAIL POST OFFICE TO
ADDRESSEE" SERVICE UNDER 37 C.F.R. §
1.10 ON THE DATE INDICATED ABOVE
AND IS ADDRESSED TO THE
COMMISSIONER OF PATENTS AND
TRADEMARKS, WASHINGTON, D.C. 20231


Derrick Brown

**DATABASE MANAGEMENT SYSTEM AND METHOD WHICH MONITORS ACTION
RESULTS AND ADJUSTS USER PARAMETERS IN RESPONSE**

By:

Melody Vos
Jeff Slavin

Atty. Dkt. No.: 5253-04200

Jeffrey C. Hood/RPH
Conley, Rose & Tayon, P.C.
P.O. Box 398
Austin, Texas 78767-0398
Ph: (512) 476-1400

PRIORITY CLAIM

This application claims the benefit of U.S. Provisional Application No. 60/252,873 entitled "AUTOMATED DATABASE MANAGEMENT SYSTEM AND METHOD," filed November 22, 2000.

BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention relates generally to computer systems and software. More particularly, the invention relates to management of database systems.

2. Description of the Related Art

The data processing resources of business organizations are increasingly relying on database management systems (DBMS) such as relational database management systems (RDBMS) for their data storage and processing needs. One example of such an RDBMS is "DB2" from International Business Machines. Rapid data growth and the growing complexity of business applications have made the DBMS even more critical to its users than in the past. As a result, organizations that rely on these systems often expect round-the-clock, "24x7" availability as well as nearly instant solutions to the often thorny problems that may arise. Consequently, these organizations need capable DBMS administrators who are able to tackle the problems and get the most out of the DBMS.

The maintenance and management of a DBMS is often complex and fraught with difficulty, especially for organizations with weighty and complex data management needs. Typically, competent DBMS administration requires training and knowledge in the often arcane and esoteric details of commercial products such as DB2, DB2 management tools, and countless other DBMS solutions, tools, and utilities. DBMS

5 maintenance and management also typically requires manual intervention by a skilled administrator to conduct various DBMS management tasks. As the demand for DBMS solutions increases, however, the supply of capable DBMS administrators has not increased accordingly. Therefore, many organizations that rely on DBMS solutions for their business needs are understaffed at this critical position.

10 One approach towards this problem might include automating various elements of database administration so that the process demands less skill on an administrator's behalf. Such a solution might also include management tools that can be used "out of the box" and with minimal configuration. The solution might assist the user in combating common problems such as tablespace growth, storage fragmentation, page splits, changes in the data distribution (cardinality), changes in the cluster ratio, free space, and hot spots.

15 Therefore, it is desirable to provide an improved system and method for database management.

SUMMARY OF THE INVENTION

The present invention provides various embodiments of a method and system for automated database management. Various embodiments of the system and method for automated database management may be referred to herein as an "Object Advisor." The Object Advisor may identify conditions that cause performance or availability problems in data base objects. It may then plan, execute, and manage maintenance activities to correct those conditions. Object Advisor may also prioritize the maintenance tasks and optimizes utility parameters and maintenance processing to ensure that the customers' resources are used in the most effective way possible while ensuring that the most critical problems are addressed first.

One embodiment may provide a database management system and method which collects statistics and automatically determines and schedules appropriate actions based on the statistics. In one embodiment, statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects. The statistics may include, for example, object-level statistics and/or activity-level statistics. Characteristics of the database objects may be automatically determined. In one embodiment, automatically determining characteristics of the database objects may include automatically determining characteristics of the database objects using the collected statistics, one or more policies, and/or one or more definitions. The policies and definitions may be defaults or may be customized by a user. Actions to be performed on the database objects may be automatically determined based on the automatically determined characteristics of the database objects. A schedule for performing the actions on the database objects may be automatically determined. In one embodiment, the actions may be performed on the database objects based on the schedule. The performing the actions on the database objects may be confirmed. The results of the actions on the database objects may be analyzed or monitored. Policies and/or definitions may be

reconfigured based on the analyzing the results of the performing the scheduled actions on the database objects.

One embodiment may provide a database management system and method which
5 automatically schedules and performs actions and monitors results. In one embodiment, statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects. Characteristics of the database objects may be determined either automatically or by intervention of a user. Actions to be performed on the database objects may be determined, either automatically or by intervention of a user,
10 based on the characteristics of the database objects. A schedule for performing the actions on the database objects may be automatically determined. In one embodiment, the actions may be performed on the database objects based on the schedule. The performing the actions on the database objects may be confirmed. The results of the actions on the database objects may be analyzed or monitored. Policies and/or definitions
15 may be reconfigured based on the analyzing the results of the performing the scheduled actions on the database objects.

One embodiment may provide a database management system and method which monitors activity levels and determines appropriate schedule times. In one embodiment,
20 statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects. The statistics may include, for example, object-level statistics and/or activity-level statistics. The activity-level statistics may measure a level of activity or usage of the one or more database objects. Characteristics of the database objects may be determined either automatically or by intervention of a user.
25 Actions to be performed on the database objects may be determined, either automatically or by intervention of a user, based on the characteristics of the database objects. A schedule for performing the actions on the database objects may be automatically determined based on the activity-level statistics. In one embodiment, the actions may be

performed on the database objects based on the schedule. The performing the actions on the database objects may be confirmed. The results of the actions on the database objects may be analyzed or monitored.

5 One embodiment may provide a database management system and method which monitors action results and adjusts user parameters in response. In one embodiment, actions to be performed on the database objects may be determined, either automatically or by intervention of a user, based on the characteristics of database objects, wherein a database comprises one or more database objects. The actions may be performed on the
10 database objects based on the schedule. The results of the actions on the database objects may be analyzed or monitored. One or more policies or definitions may be reconfigured based on the monitoring the results of the performing the actions on the database objects.

 One embodiment may provide a database management system and method which
15 determines space efficiency of objects and initiates database reorganizations. In one embodiment, statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects, and wherein the statistics comprise statistics regarding use of storage space by the database objects. The system and method may automatically decide to perform one or more REORG actions on the database
20 objects based on the statistics. A REORG engine may be instructed to perform the REORG actions.

 One embodiment may provide a database management system and method which recommends changes in physical characteristics of objects and partition changes. In one
25 embodiment, statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects. A recommendation of a modification to one or more of the database objects may be generated based on the statistics. The modification may include, for example, a new partition, a new key, or a another physical

change to one of the database objects. The recommended modification may be performed on one or more of the database objects.

One embodiment may provide a database management system and method which includes adaptive management of database objects. In one embodiment, statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects. Characteristics and usage of the database objects may be determined. Actions to be performed on the database objects may be determined based on the characteristics of the database objects. A schedule for performing the actions on the database objects may be determined based on the usage of the database objects. A change may be detected in the characteristics or usage of at least one of the database objects. The scheduled actions may be modified as a result of the change in the characteristics or usage of at least one of the database objects.

15

BRIEF DESCRIPTION OF THE DRAWINGS

The objects and advantages of the invention will become apparent upon reading the following detailed description and upon reference to the accompanying drawings in which:

Figure 1 illustrates a computer system which is suitable for implementing a database management system and method according to several embodiments;

Figure 2 is a block diagram of the computer system of Figure 1 which is suitable for implementing a database management system and method according to several embodiments;

Figure 3 illustrates an enterprise computing environment which is suitable for implementing a database management system and method according to several embodiments;

Figure 4 illustrates a method for database management according to the prior art;

Figure 5 illustrates a method for automated and intelligent database management according to several embodiments;

Figure 6 illustrates an architecture for a system for automated and intelligent database management according to several embodiments;

Figures 7a and 7b are flowcharts illustrating an automated and intelligent database management method according to several embodiments;

Figure 8 is a flowchart illustrating a database management system and method which collects statistics and automatically determines and schedules appropriate actions based on the statistics according to one embodiment;

Figure 9 is a flowchart illustrating a database management system and method which automatically schedules and performs actions and monitors results according to one embodiment;

Figure 10 is a flowchart illustrating a database management system and method which monitors activity levels and determines appropriate schedule times according to one embodiment;

Figure 11 is a flowchart illustrating a database management system and method which monitors action results and adjusts user parameters in response according to one embodiment;

Figure 12 is a flowchart illustrating a database management system and method which determines space efficiency of objects and initiates database reorganizations according to one embodiment;

Figure 13 is a flowchart illustrating a database management system and method which recommends changes in physical characteristics of objects and in partitions according to one embodiment; and

Figure 14 is a flowchart illustrating a database management system and method which performs adaptive management of database objects according to one embodiment.

While the invention is susceptible to various modifications and alternative forms, specific embodiments thereof are shown by way of example in the drawings and will herein be described in detail. It should be understood, however, that the drawings and detailed description thereto are not intended to limit the invention to the particular form disclosed, but on the contrary, the intention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the present invention as defined by the appended claims.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Figure 1 – A Typical Computer System

Figure 1 illustrates a typical, general-purpose computer system 100 which is suitable for implementing a database management system and method according to one embodiment. The computer system 100 typically comprises components such as computing hardware 102, a display device such as a monitor 104, an alphanumeric input device such as a keyboard 106, and optionally an input device such as a mouse 108. The computer system 100 is operable to execute computer programs which may be stored on disks 110 or in computing hardware 102. In various embodiments, the computer system 100 may comprise a desktop computer, a laptop computer, a palmtop computer, a network computer, a personal digital assistant (PDA), an embedded device, a smart phone, or any other suitable computing device.

Figure 2 – Computing Hardware of a Typical Computer System

Figure 2 is a block diagram illustrating the computing hardware 102 of a typical, general-purpose computer system 100 which is suitable for implementing a database management system and method according to one embodiment. The computing hardware 102 includes at least one central processing unit (CPU) or other processor(s) 122. The CPU 122 is configured to execute program instructions which implement the improved management console as described herein. The CPU 122 is preferably coupled to a memory medium 124.

As used herein, the term “memory medium” includes a non-volatile medium, e.g., a magnetic medium, hard disk, or optical storage; a volatile medium, such as computer system memory, e.g., random access memory (RAM) such as DRAM, SDRAM, SRAM, EDO RAM, Rambus RAM, etc.; or an installation medium, such as CD-ROM, floppy disks, or a removable disk, on which computer programs are stored for loading into the

computer system. The term “memory medium” may also include other types of memory.

The memory medium 124 may therefore store program instructions and/or data which implement the database management system and method as described herein.

Furthermore, the memory medium 124 may be utilized to install the program instructions and/or data. In a further embodiment, the memory medium 124 may be comprised in a second computer system which is coupled to the computer system 100 through a network 128. In this instance, the second computer system may operate to provide the program instructions stored in the memory medium 124 through the network 128 to the computer system 100 for execution.

The CPU 122 may also be coupled through an input/output bus 120 to one or more input/output devices that may include, but are not limited to, a display device such as a monitor 104, a pointing device such as a mouse 108, a keyboard 106, a track ball, a microphone, a touch-sensitive display, a magnetic or paper tape reader, a tablet, a stylus, a voice recognizer, a handwriting recognizer, a printer, a plotter, a scanner, and any other devices for input and/or output. The computer system 100 may acquire program instructions and/or data for implementing the database management system and method as described herein through the input/output bus 120.

The CPU 122 may include a network interface device 128 for coupling to a network. The network may be representative of various types of possible networks: for example, a local area network (LAN), wide area network (WAN), or the Internet. The improved management console as described herein may therefore be implemented on a plurality of heterogeneous or homogeneous networked computer systems such as computer system 100 through one or more networks. Each computer system 100 may acquire program instructions and/or data for implementing the database management system and method as described herein over the network.

Figure 3 – A Typical Enterprise Computing Environment

Figure 3 illustrates an enterprise computing environment 200 according to one embodiment. An enterprise 200 comprises a plurality of computer systems such as computer system 100 which are interconnected through one or more networks. Although one particular embodiment is shown in Figure 3, the enterprise 200 may comprise a variety of heterogeneous computer systems and networks which are interconnected in a variety of ways and which run a variety of software applications.

One or more local area networks (LANs) 204 may be included in the enterprise 200. A LAN 204 is a network that spans a relatively small area. Typically, a LAN 204 is confined to a single building or group of buildings. Each node (i.e., individual computer system or device) on a LAN 204 preferably has its own CPU with which it executes computer programs, and often each node is also able to access data and devices anywhere on the LAN 204. The LAN 204 thus allows many users to share devices (e.g., printers) as well as data stored on file servers. The LAN 204 may be characterized by any of a variety of types of topology (i.e., the geometric arrangement of devices on the network), of protocols (i.e., the rules and encoding specifications for sending data, and whether the network uses a peer-to-peer or client/server architecture), and of media (e.g., twisted-pair wire, coaxial cables, fiber optic cables, radio waves). Figure 3 illustrates an enterprise 200 including one LAN 204. However, the enterprise 200 may include a plurality of LANs 204 which are coupled to one another through a wide area network (WAN) 202. A WAN 202 is a network that spans a relatively large geographical area.

Each LAN 204 comprises a plurality of interconnected computer systems or at least one computer system and at least one other device. Computer systems and devices which may be interconnected through the LAN 204 may include, for example, one or more of a workstation 210a, a personal computer 212a, a laptop or notebook computer system 214, a server computer system 216, or a network printer 218. An example LAN

204 illustrated in Figure 3 comprises one of each of these computer systems 210a, 212a, 214, and 216 and one printer 218. Each of the computer systems 210a, 212a, 214, and 216 is preferably an example of the typical computer system 100 as illustrated in Figures 1 and 2. The LAN 204 may be coupled to other computer systems and/or other devices
5 and/or other LANs 204 through a WAN 202.

A mainframe computer system 220 may optionally be coupled to the enterprise 200. As shown in Figure 3, the mainframe 220 is coupled to the enterprise 200 through the WAN 202, but alternatively the mainframe 220 may be coupled to the enterprise 200
10 through a LAN 204. As shown in Figure 3, the mainframe 220 is coupled to a storage device or file server 224 and mainframe terminals 222a, 222b, and 222c. The mainframe terminals 222a, 222b, and 222c access data stored in the storage device or file server 224 coupled to or comprised in the mainframe computer system 220.

15 The enterprise 200 may also comprise one or more computer systems which are connected to the enterprise 200 through the WAN 202: as illustrated, a workstation 210b and a personal computer 212b. In other words, the enterprise 200 may optionally include one or more computer systems which are not coupled to the enterprise 200 through a LAN 204. For example, the enterprise 200 may include computer systems which are
20 geographically remote and connected to the enterprise 200 through the Internet.

Figure 4 – A Database Management Method from the Prior Art

Figure 4 illustrates a method for database management according to the prior art. This prior art method requires substantial manual intervention by a user such as a highly
25 skilled database administrator. In 402, the user manually initiates the gathering of information about objectives. Objectives may relate to computer system resource usage parameters such as CPU time, “real-world” time, and storage utilization, for example. In 404, the information is gathered using the prior art database management software.

In 406, the information is analyzed, typically by the prior art database management software. The software may generate recommendations based on the analysis. In 408, jobs and/or reports may be generated by the prior art database management software based on the analysis.

5 In 410, the user may manually apply the recommended actions to improve the performance of the DBMS or otherwise meet the desired objectives.

Figure 5 – An Automated and Intelligent Database Management Method

Figure 5 illustrates a method for automated and intelligent database management according to several embodiments. A computer system architecture for performing this method is described with reference to Figure 6. Various embodiments of the system and method for automated database management may be referred to herein as an “Object Advisor.” Various of these embodiments of the Object Advisor and its components are described in more detail as follows. The Object Advisor Solution Set may identify conditions that cause performance or availability problems in data base objects. It may then plan, execute, and manage maintenance activities to correct those conditions. Object Advisor may also prioritize the maintenance tasks and optimizes utility parameters and maintenance processing to ensure that the customers' resources are used in the most effective way possible while ensuring that the most critical problems are addressed first.

20 In 502, database objects and their attributes may be configured. In one embodiment, the configuration may include setting default values (e.g., resource usage thresholds for generating alerts) upon installation of the database management software. The use of defaults may reduce the level of skill necessary for the user.

In 504, database activities are monitored, and information about database objects and their attributes may be gathered by the database management software.

In 506, database objects and their attributes may be analyzed by the database management software.

In 508, it may be determined whether deterministic characteristics should be gathered. If so, then in 510 attributes of database objects may be collected, and in 512 the attributes and activities may be correlated.

In 514, a rule-based engine may be applied to the analyzed information (including
5 the correlated attributes and activities, if applicable).

In 516, heuristic threshold analysis may be performed.

In 518, it may be determined whether thresholds should be modified. If so, then in 520 the knowledge base may be reconfigured with the modified thresholds.

In 522, any actions such as recommendations may be performed on the database
10 objects or other relevant subsystems.

Figure 6 – An Automated and Intelligent Database Management Architecture

Figure 6 illustrates an architecture for a system for automated and intelligent database management according to several embodiments. In various embodiments, the
15 Object Advisor may be executable in whole or part on a mainframe computer system 220. Throughout the following description, DB2 is used as an example of one DBMS to which Object Advisor may be applied; in other embodiments, Object Advisor may be executable to manage other database management systems.

20 In one embodiment, there are four general categories of components contained in the Object Advisor solution set: Data Collection Components, Decision Making Components, Execution Management Components, User Interface and Configuration Components. In one embodiment, the Object Advisor components are designed in a modular manner to enable them to be packaged in various ways to solve related problems
25 in other solution sets as well. For example, the Object Advisor solution set may solve the problem of managing the desired state of Database objects. When the Data Collection, Decision Making, and Configuration components from Object Advisor are employed together, an organization may have the ability to determine object-related causes of

general performance problems such as application response time has slowed. Adding the Object Advisor Execution components may enable an organization not only to correct the problem, but also to verify that the actions taken actually made a difference in the performance of that same application.

5

Data Collection Components

In one embodiment, the Data Collection components may utilize high-speed collection techniques to gather information about database objects such as Database objects. This information describes the physical aspects of database objects and how the data within those objects is utilized. Object Advisor may use the collected data for decision-making and reporting purposes. The object usage data collector 602 may be used for data collection.

10
15
20
25

Object Usage Monitor and Analysis

In one embodiment, the object usage monitor 604 may execute continually and track information about how specific database objects are used. Information about the type of activities that occur, how frequently they occur, and when they occur is collected and saved. The usage monitor may 604 also identify the type of access that is used to retrieve data from specific datasets. The usage monitor may log the collected information to an OA (Object Advisor) data usage statistics table 636. The object usage analysis component 606 may be used to correlate the usage data relative to object-level performance metrics. Potential problems may be logged to an events table 630. Correlation may provide targeted analysis allowing for a proactive, efficient solution that is scalable to very large environments.

25

Object Statistics Collector

An object statistics collector such as BMCSTATS 610, available from BMC Software, Inc., may collect detailed statistical information about database objects. The

collection can be zoomed in to specific types of statistics and can be collected in a real-time manner or as a part of a scheduled process. The statistical information collected by this component 610 describes the physical characteristics of database objects and is saved for historical and analytical purposes in the Object Advisor repository tables such as object statistics table 640. In one embodiment, the most common data provided by the object statistics collector 610 includes space and access-path statistics that can be placed in the DB2 catalog in lieu of RUNSTATS data. The data provided by this component may enable Object Advisor to determine whether performance or availability problems exist on specific database objects. It may enable the pinpointing of which objects require attention and how urgently that attention is required.

Problem Determination Components

The problem determination components, including problem determination component 608, may evaluate information about the usage of database objects for indications of potential performance or availability concerns. When concerns are identified, detailed statistics may be requested and analyzed to determine whether an actual problem exists and what actions would be required to correct it.

Problem Determination

The problem determination component 608 may analyze object usage and statistical information looking for performance, availability, or other object related problems that could impact the use of database object data. The problem determination component may use information from tables such as the events table 630 and a DBMS (such as DB2) catalog table 632. The event analysis component 612 may provide similar functionality for events. Information describing any problem that is found and the object it affects, and the remedy required to correct the situation, may be logged in the repository tables and/or files 638. This data may also be consumed by the action determination components. The problem determination component 608 may isolate

performance and availability problems and identify the appropriate reaction by drawing on an established knowledge base. The decision-making capabilities provided in this component 608 may reduce the level of experience required by the user.

5 **Threshold Adjustment**

The product tuning analysis component 618 may manage and automatically adjust the thresholds used to monitor data usage and the thresholds used in problem determination. This component may use information from Object Advisor repository tables such as a maintenance history table 652, for example. This component may enable
10 the Object Advisor to tweak thresholds as needed to ensure the effectiveness of the problem determination components. The ability to govern its own thresholds may enable Object Advisor to identify problems at the appropriate time and severity. Therefore, as database objects or applications change, users may not need to reconfigure Object Advisor. The decision-making capability provided in this component may reduce the
15 level of experience required by the user. In one embodiment, thresholds and other configuration settings may be manually tuned by a user with the manual product configuration and tuning component 616.

Action Determination Components

20 When a condition is identified by the problem determination component or other piece of software, the Action Determination components may identify the corresponding action for the condition. The identified actions may then be used to construct, prioritize, and optimize a workload that can be built and managed by the execution management components.

25

Action Determination

The action determination component 614 may analyze the remedy recommended during problem determination and identify the various utilities, commands, and/or

programs that perform that service. It may then determine the most effective action for correcting the problem and whether any additional actions should be performed to prevent new or associated problems from occurring. The action determination component may also construct the corresponding maintenance workload(s) in workload table 644 and assign priorities to individual units of work based on the severity of the underlying object condition. The action determination component may use information from tables such as a service requests table 634. The data provided by this component 614 may be consumed by the workload optimization components.

The ability to automatically determine the most effective approach to correcting a problem and to identify the objects most in need of repair may reduce human interaction. This capability may be especially important in large enterprises. The decision-making capability provided in this component 614 may reduce the level of experience required by the user.

Workload Optimizer

The workload analysis component 626 may analyze the DBMS batch workload and modify it as needed for efficiency. In one embodiment, utility options are tuned, duplicate tasks are identified, grouping and parallelism options are analyzed, and dependencies within the unit of work are noted. The workload is then modified as needed before it is registered with the scheduling component 624. Optimizing the workload may reduce the elapsed time of maintenance tasks while maximizing system resources. This may be especially important in large enterprises. The decision-making capability provided in this component may reduce the level of experience required by the user.

Execution Management Components

The Execution Management Components may build, manage and execute the requested workload, thereby ensuring that customer resources are used effectively and

that maximum throughput is achieved. The components described below may be included in this area of the Object Advisor.

Workload Preparation

5 The workload monitor component 622 may use the information provided by the workload analysis component 626 and the resource estimation component to register work to the scheduler 624. It may convert the workload into jobs and describe resource constraints, dependencies, priorities, and window constraints to the scheduling component. The workload monitor component 622 may automate the registry of
10 complex dependencies and resource requirements, thereby enabling the workload to be automatically managed for the user.

Resource Estimation

15 These components (not shown) may estimate the resources that will be required for each specific task in the maintenance workload. Estimated elapsed time may be calculated, and dataset sizes and device requirements are calculated for storage devices. This information may be consumed by the workload monitor component 622 when registering work to the scheduler 624. Performing resource estimation may reduce the level of experience required by the user and ensure the reliable execution of maintenance
20 tasks.

JCL Generation

25 The JCL 628 generation component (not shown) may be used to create the JCL and jobs required to execute the workload. This may include single-step worklist format jobs, traditional JCL to be managed by the user, and JCL that can be managed by a scheduling component 624. Automating the creation of JCL 628 may reduce the level of experience required by the user and ensure the reliable execution of maintenance tasks.

Scheduling Component

The scheduling component 624, such as Control-M available from BMC Software, Inc., may manage the entire workload. This component may consider
5 priorities, resource requirements, resource availability, and dependencies while
determining which tasks to initiate. The scheduling component may initiate multiple
tasks in parallel (within and across the sysplex) as determined by dependency and
resource requirements. This component may automatically manage maintenance tasks
within a batch window, thereby optimizing system resource usage and maximizing
10 throughput.

Execution

The execution component (not shown) may enable the Object Advisor to
automate error handling, to ensure that objects are left in a usable state, and to invoke the
15 appropriate utility or command program. This component may also capture information
regarding the resources consumed, return codes, and elapsed time of the utility. This
information may be related to the object being operated on and logged into the repository
tables 646. Automated error handling may ensure the availability of critical applications.

Status Handling and Reporting

This component (not shown) may monitor the completion of tasks and perform
cleanup processing in the repository tables 646. Tasks may be marked as complete, tasks
that are not required may be identified, data usage counters may be reset as needed, and
information may be logged into the history tables. This component may also identify
25 objects that need to be incorporated into end of the window jobs based on work that
completes successfully. The ability to report task status and consolidate specific work
into end of the window jobs may reduce the elapsed time of maintenance tasks while
maximizing system resources.

User Interface and Product Configuration Components

The User Interface may provide an interactive method of driving and customizing the solution set. It may enable the user to view, modify and save predefined options, default values, and rules. These components may also enable users to create their own options, defaults, and rules. In one embodiment, the data managed within the configuration components may be employed by other Object Advisor components to determine how various objects and actions should be managed. Specific configuration components may be described below.

Application Definition

This component (not shown) may provide a facility for logically grouping database objects together. A definition may include a set of rules which, when applied to the DBMS catalog, results in a list of Database objects. The rules that define the logical grouping of objects may be given a name (e.g., the application name) and stored in the Object Advisor Repository 646. Object Advisor may use Application Definitions to implement policies regarding Utility Automation.

Utility Specification and Generation

This component (not shown) may provide a facility for registering utilities, commands, or programs and for specifying how specific actions should be executed. Utility programs and commands may be automatically registered with the Object Advisor at installation time. Through this facility, users may also register other executable programs, thereby enabling them to be invoked within an ad-hoc job stream, or as a part of the automation process.

Task Configuration

The Task configuration component (not shown) may provide a facility for coupling multiple utilities, commands, or programs into a single unit of work. Options related to how the specific utilities in the task list should be initiated may also be defined in the task configuration components. These options may include parallelism, grouping, and conditional execution options for the various utilities in the list. The Object Advisor decision-making components may use the task related definitions to determine how to construct job streams when correcting specific performance problems.

10

Policy Definition Editors

The policy definition editors (not shown) may provide facilities for defining and implementing policies. As used herein, the term "policies" include rules that may govern how objects and actions are managed by components. Policies may be established for all decisions made within the solution set. They may be specialized towards DBMS object and maintenance management and instruct the product regarding what to do, when to do it, and how to do it.

15

Scheduling Resource Definition

The scheduling resource definition components (not shown) may provide a means of specifying limits to the resources, such as tape devices, that may be used when executing maintenance tasks. This component may also enable the customer to indicate windows in which specific utilities may execute or windows in which specific objects may or may not be operated on. The data managed by the scheduling resource definition components may be used to register workload requirements to the Execution Components.

20

25

Statistics Management

The statistics management components (not shown) may facilitate the migration, cleanup, and summarization of historical statistics data. Detailed object and data usage statistics may be summarized, or consolidated, into specific time intervals, thereby allowing the customer to maintain a longer history of information without the space requirements associated with detailed historical data. Old or outdated information may also be purged from the repository tables. In addition, these components may facilitate the migration of object statistics from one subsystem to another as well as enabling migration between the repository tables and the DBMS catalog. Managing statistics for the user may ensure that accurate sets of statistical data are available for decision-making and reporting purposes. The migration of catalog statistics may enable users to automatically simulate production environments in test systems.

15 Predefined Policies and Configuration

In one embodiment, Object Advisor may be installed with a complete set of definitions and policies that may constitute "best-practice" techniques regarding DBMS object maintenance. These definitions and policies may be stored in a knowledge base 642. The user may view or customize these policies and definitions as needed to meet shop standards or individual requirements. The user may also create new policies and/or definitions as needed. The knowledge provided in these definitions may reduce the level of experience required by the user.

Catalog Browser

25 This component (not shown) may provide an ad-hoc means for a user to interactively display lists of database objects. One or more objects on a list may be selected and used to launch an Object Advisor task or action. It may also facilitate the

object to action approach for the user interface. This functionality may enable the user to access Object Advisor configuration data more efficiently.

Space Estimation

5 This component (not shown) may provide an ad-hoc means for a user to interactively determine the space required for database objects. This functionality may enable users to precisely calculate storage requirements for database objects.

Graphing, Reporting, and Trend Analysis

10 This set of visualization and data management components 620 may enable the detailed and historical data usage statistics and object statistics to be viewed in a meaningful way. Various graphs and reports may be provided to highlight problems and trends regarding the performance and usage of database objects. Reports 648 and graphs 650 may provide a communication vehicle for complex numerical data.

15

Object Optimization Solutions Based on Object Advisor Technology

 The components, architectures, methods, and systems discussed above may provide the basis for other object-related performance solutions. In one embodiment, the previously discussed solution set may be focused on managing the desired state of database objects by watching for problems and correcting them. Additional Object Optimization solutions may proactively search for changes that can be made to improve the performance of database objects. The following are some of the components that may be included in various embodiments of the Optimization Solution.

20

25 Partition Advisor

 Object Advisor's Optimization Solution may identify object partitions that are approaching a maximum data set size. To ensure that applications will be able to continue processing, it is recommended that the data in the full partition be spread across multiple

partitions. Object Advisor may analyze the number and size of existing partitions and determine whether to spread the data across existing datasets or whether a new dataset should be created to hold a portion of the data. Column distribution statistics may also be analyzed to calculate a new key range for the data. Object Advisor may also identify
5 partitions that are accessed more heavily or contain significantly more data than others. When this occurs, the partitions may be analyzed to determine the best method of balancing the data among the partitions.

Dataset Placement Advisor

10 Object Advisor's Optimization Solution may identify datasets that should not be located on the same DASD volumes. These datasets may be physically related, logically related, or otherwise heavily accessed datasets. Information may be recorded in the Object Advisor repository to indicate where specific dataset should or should not be placed. This information may be recorded and used when datasets are redefined during
15 REORG or other processes. In one embodiment, object Advisor may also relocate datasets that are currently in contention on a DASD device.

Free Space Advisor

20 Object Advisor's Optimization Solution may identify hotspots (a clustering of insert/update activity) in data objects that are disorganized. This information may be passed to a REORG utility, thereby enabling it to place the free space more effectively. In one embodiment, Object Advisor may monitor objects to determine whether they are being reorganized too frequently. When this occurs, trend analysis may be performed to calculate new free space values that will lessen the frequency of REORG operations. In
25 addition, new space allocation values may be calculated taking the modified free space into account. A workload script may then be written to redefine and reorganize the datasets.

Compression Advisor

The Compression Analysis component of the Object Advisor Optimization Solution may determine the effectiveness of existing data compression. If not enough
5 compression is received, or processing costs are too high, compression may be turned off. In addition, Object Advisor may analyze statistical column information and recommend or enable compression for objects that would benefit. Object Advisor may then determine the most effective compression algorithm for specific objects based on the data contained in the database and how it is used.

Figure 7 – An Automated and Intelligent Database Management Method

Figures 7a and 7b are flowcharts illustrating an automated and intelligent database management method according to several embodiments. Figure 7a illustrates an analysis phase of the database management method.

15 In 702, the DBMS may be monitored and analyzed as discussed with reference to Figure 6.

In 704, problems with database objects (e.g., DB2 objects) may be identified. In 706, if it is determined that there is not enough information to determine conclusively whether a problem exists, then proceed to 708 for collection of statistics. If it is
20 determined in 710 that there are no problems with database objects, then thresholds are analyzed and adjusted in 712, and object usage is again monitored in 702.

In 714, determine the services needed to satisfy the problem. In 716, determine whether the service request creates additional problems. If so, return to 704 for problem identification. If not, then report the condition and potential resolution to the user in 720
25 by generating a report 722.

In 724, determine if the user wants to fix the problem(s) as outlined in the report 722. If so, proceed to 752 of Figure 7b. If not, return to 702 and continue to monitor the database objects.

Figure 7b illustrates a execution phase of the database management method. In 752, determine the tasks needed to perform the recommended services. In 754, determine if redundant tasks have been identified, and if not, identify a preferred task for each set of redundant tasks in 756.

In 758, build an executable workload and generate a workload report 760 and suitable JCL 628. In 762, determine if the Object Advisor is to manage the work. If not, proceed to 702 of Figure 7a and continue to monitor the database objects. If so, schedule the workload in 764. In 766, submit and control the jobs in the workload. In 768, monitor the workload.

Figures 8 through 14 – Various Database Management Methods

Figures 8 through 14 illustrate various database management methods according to various embodiments of the invention.

Figure 8 is a flowchart illustrating a database management system and method which collects statistics and automatically determines and schedules appropriate actions based on the statistics according to one embodiment. In one embodiment, statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects, in 802. The statistics may include, for example, object-level statistics and/or activity-level statistics. In 804, characteristics of the database objects may be automatically determined. In one embodiment, automatically determining characteristics of the database objects may include automatically determining characteristics of the database objects using the collected statistics, one or more policies, and/or one or more definitions. The policies and definitions may be defaults or may be customized by a user. In 806, actions to be performed on the database objects may be automatically determined based on the automatically determined characteristics of the database objects. A schedule for performing the actions on the database objects may be

automatically determined in 808. In one embodiment, in 810, the actions may be performed on the database objects based on the schedule. The performing the actions on the database objects may be confirmed. The results of the actions on the database objects may be analyzed or monitored. In one embodiment, policies and/or definitions may be reconfigured based on the analyzing the results of the performing the scheduled actions on the database objects.

Figure 9 is a flowchart illustrating a database management system and method which automatically schedules and performs actions and monitors results according to one embodiment. In one embodiment, in 812, statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects. Characteristics of the database objects may be determined either automatically or by intervention of a user in 814. Actions to be performed on the database objects may be determined, either automatically or by intervention of a user, based on the characteristics of the database objects in 816. A schedule for performing the actions on the database objects may be automatically determined in 818. In one embodiment, the actions may be performed on the database objects based on the schedule in 820. The performing the actions on the database objects may be confirmed in 822. In 824, in one embodiment, the results of the actions on the database objects may be analyzed or monitored. In one embodiment, policies and/or definitions may be reconfigured based on the analyzing the results of the performing the scheduled actions on the database objects.

Figure 10 is a flowchart illustrating a database management system and method which monitors activity levels and determines appropriate schedule times according to one embodiment. In one embodiment, statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects, in 832. The statistics may include, for example, activity-level statistics. The activity-level statistics may measure a level of activity or usage of the one or more database objects. In 834,

characteristics of the database objects may be determined either automatically or by intervention of a user. In 836, actions to be performed on the database objects may be determined, either automatically or by intervention of a user, based on the characteristics of the database objects. In 838, a schedule for performing the actions on the database objects may be automatically determined based on the activity-level statistics. In one embodiment, the actions may be performed on the database objects based on the schedule in 840. In 842, the performing the actions on the database objects may be confirmed. The results of the actions on the database objects may be analyzed or monitored in 844.

10 Figure 11 is a flowchart illustrating a database management system and method which monitors action results and adjusts user parameters in response according to one embodiment. In one embodiment, in 852, statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects. In 854, characteristics of the database objects may be determined either automatically or by intervention of a user. In 856, actions to be performed on the database objects may be determined, either automatically or by intervention of a user, based on the characteristics of database objects. The actions may be performed on the database objects based on the schedule in 858. In 860, the results of the actions on the database objects may be analyzed or monitored. One or more policies or definitions may be reconfigured based on the monitoring the results of the performing the actions on the database objects in 862.

25 Figure 12 is a flowchart illustrating a database management system and method which determines space efficiency of objects and initiates database reorganizations according to one embodiment. In one embodiment, in 872, statistics relating to operation of a database may be collected, wherein the database comprises one or more database objects, and wherein the statistics comprise statistics regarding use of storage space by the database objects. The system and method may automatically decide to perform one

or more REORG actions on the database objects based on the statistics in 874. In 876, a REORG engine may be instructed to perform the REORG actions.

Figure 13 is a flowchart illustrating a database management system and method
5 which recommends changes in physical characteristics of objects and in partitions
according to one embodiment. In one embodiment, statistics relating to operation of a
database may be collected, wherein the database comprises one or more database objects,
in 882. A recommendation of a modification to one or more of the database objects may
be generated based on the statistics in 884. The modification may include, for example, a
10 new partition, a new key, or a another physical change to one of the database objects.
The recommended modification may then be performed on one or more of the database
objects.

Figure 14 is a flowchart illustrating a database management system and method
15 which performs adaptive management of database objects according to one embodiment.
In one embodiment, statistics relating to operation of a database may be collected,
wherein the database comprises one or more database objects, in 886. Characteristics and
usage of the database objects may be determined in 888 and 890. In 892, actions to be
performed on the database objects may be determined based on the characteristics of the
20 database objects. In 894, a schedule for performing the actions on the database objects
may be determined based on the usage of the database objects. In 896, a change may be
detected in the characteristics or usage of at least one of the database objects. The
scheduled actions may be modified as a result of the change in the characteristics or usage
of at least one of the database objects in 898.

25

Various embodiments further include receiving or storing instructions and/or data
implemented in accordance with the foregoing description upon a carrier medium.
Suitable carrier mediums include storage mediums or memory mediums such as magnetic

or optical media, e.g., disk or CD-ROM, as well as signals such as electrical, electromagnetic, or digital signals, conveyed via a communication medium such as networks 202 and 204 and/or a wireless link.

5 Although the system and method of the present invention have been described in connection with several embodiments, the invention is not intended to be limited to the specific forms set forth herein, but on the contrary, it is intended to cover such alternatives, modifications, and equivalents as can be reasonably included within the spirit and scope of the invention as defined by the appended claims.

10

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
22